



REQUEST FOR QUOTE

Project: William Bryant Park Complex seal coat & stripe. 305 7th Street NW.

Areas include: (2) outdoor courts, 5 parking areas. Diagram on page 2.

- Blue outline- crack repair and seal only
- Orange outline- crack repair, seal coat, stripe
- Green outline- crack repair, seal coat, stripe

Seal Coat & Stripe Scope of Work

Provider shall furnish all labor, materials, equipment and supervision necessary to perform seal coat and striping services per the scope of work below.

Repairs & Seal Coat:

1. Blow all cracks clean and fill with government spec. rubberized crack sealant. Fill cracks 1/8" and larger.
2. Seal coat designated areas.
3. Edge asphalt perimeter or grass and dirt, blow asphalt clean.
4. Apply 100% coal tar emulsion to all existing asphalt.
5. Sealer to have a 2% latex modifier and 2lbs/gal. Silica sand agitated into product to improve performance and skid-resistance.
6. Sealer to be applied in a professional manner to ensure adjacent surfaces remain clean and sealer free.

Restripe:

1. Restripe parking lot to ADA and local ordinance specifications.
2. Paint shall meet Department of Transportation specifications.
3. Restripe as per existing lay-out.


COI, E-verify affidavit, and W-9 required.

Please submit quote for entire project to Maggie Davidson at 1020 4th Street SW Moultrie, GA 31768 or by email at maggie.davidson@mccpra.com by June 28, 2024 at 5pm.

Contact Maggie Davidson at (229) 668-0028 for more information.

Thank you,

Maggie Davidson



R.D. Smith Youth Center

Ryce Community Center